

PDFVCE



Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarantee in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

<http://www.pdfvce.com>

Highly Efficiently Exam Tool and Effective Exam Practice Materials

Exam : **1z0-932**

Title : Oracle Cloud Infrastructure
2018 Architect Associate

Vendor : Oracle

Version : DEMO

NO.1 You have provisioned an Autonomous Transaction Processing (ATP) database and logged into the ATP service console.

What are three abilities that can be performed from this service console? (Choose three.)

- A. reset the admin password
- B. set resource management rules
- C. scale up/down the CPUs
- D. monitor database activity and SQL queries
- E. create ATP database users

Answer: B,C,D

NO.2 Which two options are available when configuring DNS resolution for your virtual cloud network? (Choose two.)

- A. Internet and virtual cloud network (VCN) resolver
- B. custom resolver
- C. Internet and custom resolver
- D. Google DNS servers

Answer: A,B

NO.3 ON NO: 131

Which statement is true about Oracle Cloud Infrastructure FastConnect?

- A. For public peering, a dynamic routing gateway must be configured and attached to the virtual cloud network (VCN)
- B. The FastConnect provider network offers only 1 Gbps port connection speed increments
- C. For private peering, FastConnect extends your existing infrastructure to allow you to consume object storage from your on-premises data center
- D. For private peering, FastConnect extends your existing infrastructure to a virtual cloud network

Answer: D

NO.4 Which three are capabilities of the dbaascli utility? (Choose three.)

- A. Switchover and failover in an Oracle Guard configuration
- B. Start and open the database instance
- C. Patching the primary database deployment
- D. Open port 1521 in the VCN to allow for traffic to the listener
- E. Clone a DB

Answer: A,B,C

NO.5 A customer wants to do development on premise while leveraging services such as Java Cloud, Mobile Developer Cloud, and App Builder Services. The customer would also like to scale out the application, stretching from on-premises to the cloud by using a common API.

Which two Infrastructure options can the customer leverage to do this? (Choose two.)

- A. Oracle Cloud Infrastructure Classic
- B. Oracle Cloud Ravello service
- C. Oracle Cloud at Customer

D. Oracle Cloud Infrastructure

Answer: C,D

NO.6 You want an Oracle Cloud Infrastructure (OCI) compute instance in your compartment to make API calls to other services within OCI without storing credentials in a configuration file.

What do you need to do?

- A.** VM instances are treated as users. Create a user, assign the user to that VM instance, and reference the instance in your Identity and Access Management (IAM) policy statement
- B.** Create a dynamic group with appropriate matching rules to include the instance, and reference this group in your IAM policy statement
- C.** Instances cannot access services outside their compartment
- D.** By default, all VM instances are created with an instance principal. Reference this instance principal in your IAM policy statement

Answer: D

NO.7 You have an Oracle Cloud Infrastructure (OCI) load balancer distributing traffic via an evenly-weighted round robin policy to your backend web servers. You notice that one of your web servers is receiving more traffic than other web servers.

How can you resolve this imbalance?

- A.** Disable session persistence on your backend set
- B.** Delete and re-create your OCI load balancer
- C.** Create separate listeners for each backend web server
- D.** Check security lists and route tables of your virtual cloud network (VCN) and fix any issues associated with the rules

Answer: D

NO.8 Where are DB Systems backups stored by default?

- A.** block volume
- B.** locally attached NVMe on virtual machine
- C.** ASM disk group
- D.** object storage on Oracle Cloud Infrastructure

Answer: D

NO.9 You deployed a web server in Oracle Cloud Infrastructure using an ephemeral public IP. After a few changes in your web server configuration, you rebooted the server and a new public IP was associated to your instance.

What should you do to prevent this from happening again?

- A.** Create a reserved public IP and associate it with the subnet of your compute instance
- B.** Create a reserved public IP and associate it with the hosts file of your web server
- C.** Create a reserved public IP and associate it with the security list that your complete instance is using
- D.** Create a reserved public IP and associate it with the VNIC of your compute instance

Answer: D

NO.10 O: 113

You are planning to deploy a multi-region web application in Oracle Cloud Infrastructure (OCI). You have customers in North America, Asia and Europe who will access the application.

What service is available in OCI to help you choose the regions the lowest latency to these markets?

- A. DNS Zone Management
- B. FastConnect
- C. IPsec VPN
- D. Internet Intelligence

Answer: D

NO.11 Which two statements are true about Database Cloud Service (DBCS)? (Choose two.)

- A. Data Guard as a Service is offered among regions.
- B. You have full control over backup schedule and retention.
- C. You cannot manage the database as sys/sysdba.
- D. You can manage Oracle parameters at a global system level.

Answer: A,B

NO.12 You are asked to create a user that will access programmatic endpoints in Oracle Cloud Infrastructure. The user must not be allowed to authenticate by username and password.

Which two authentication options can you use? (Choose two.)

- A. API signing key
- B. PEM Certificate file
- C. SSH key pair
- D. Windows password
- E. Auth tokens

Answer: A,E

NO.13 Your company has decided to move a few applications to Oracle Cloud Infrastructure and you have been asked to design it for Disaster Recovery (DR). One of the items of your design is to deploy the DR at least 300 miles from the home site and minimize the network latency as much as possible.

Based on that, what will be the recommended deployment?

- A. Deploy applications in two separated VCNs in different regions and use VCN Local Peering
- B. Deploy applications in different regions and have them connected using VCN Remote Peering
- C. Deploy applications in two separated VCNs in different Availability Domains and use VCN Remote Peering
- D. Deploy applications on the same region splitting workloads across Availability Domains.

Answer: D

NO.14 Which two are valid options when migrating a database from on-premise to Oracle Cloud Infrastructure?

(Choose two.)

- A. performing a backup to Oracle Cloud Infrastructure Object Storage, and then restoring to a database server on Oracle Cloud Infrastructure

- B.** performing RMAN backup to an on-premise storage device, and then shipping to Oracle Cloud Infrastructure
- C.** converting the Oracle database to a NoSQL database and migrating to Oracle Cloud Infrastructure by using rsync file copy
- D.** snapping or cloning storage form on-premise to Oracle Cloud Infrastructure

Answer: B,D

NO.15 Which two statements about file storage service (FSS) are accurate? (Choose two.)

- A.** Data in transit to an FSS mount target is encrypted
- B.** Identity and Access Management (IAM) controls which file systems are mountable by which instances
- C.** Security lists can be used as a virtual firewall to prevent an instance from mounting an FSS mount target within the same subnet
- D.** Encryption of file system in FSS is optional
- E.** FSS leverages UNIX user group and permission checking for file access security

Answer: C,E